

ROOTS SCRUB

RB 650 | RB 750 *PREMIUM*

COMPACT RIDE ON SCRUBBER DRIER

ROOTS
ADDING VALUE



THE ICON OF PERFORMANCE AND EFFICIENCY

RB 650 | RB 750 PREMIUM



*New Age LCD Panel
for Functionality display*

*One touch function
to switch to ECO mode*

*Soft touch control
for water flow*

*One touch control for
Extra pressure function*

*One touch control for Brush
and Squeegee operations*

FEATURES

Working Lamp

Transport Mode

Horn

Slow Mode

Reverse Mode

Water flow control

Vacuum operation

ECO Mode

Brush operation



Extra Pressure Mode

Dual Mode

Detergent dosing control




ONE TOUCH SOFT CONTROL LCD PANEL



ADVANTAGES



*Easy to operate in Ramps,
Gradient up to 12%*



*Compact machine - easy to transport
through elevators / lifts*



*Wide pouring pot easy to refill fresh water
with level indicator*



*Anti bacterial tank has special coating
that prevents the build-up/growth of bacteria*



*Pad holder and Variety of brushes
available for different type of floors*

SAFETY



*Emergency stop
push button*



*safety lock for tank for
maintenance*



*Deflector roller for cleaning
the edges without any collision*



*Fresh water filter & Anti skid
non marking rubber wheels*



*Anti skid wheels with automatic
speed reduction in sharp turns*




*Automatic vacuum cut off float switch
& Air filter for motor safety*



*powerful working lamp
for cleaning dark areas*



*Beacon lamp to attract the attention of
surrounding vehicles and pedestrians*



*powerful working lamp
for cleaning dark areas*



RB 650 | RB 750 *PREMIUM*

Technical specification	Units	RB 650	RB 750
Scrubbing width	mm	650	750
Suction Width	mm	870	970
Theoretical area coverage	m ² /h	4225	4875
Working Speed, up to	km/h	6.5	6.5
Travel Speed	Km/h	7	7
Power Supply	V/Ah	24 DC/200	24 DC/200
Total Power	W	1600	1750
No. of brushes	No.	2	2
Diameter of brush	mm	333	385
Brush Speed	rpm	180	180
Brush load	kg	25	30
Fresh water tank	L	100	100
Dirty water tank	L	100	100
Dimensions with squeegee	LxBxH mm	1525 x 870 x 1520	1525 x 970 x 1520
Total Weight Empty/with battery	kg	220/350	240/370
Total Weight ready to Operate	kg	450	470
Turning Circle	mm	1250	1250
Gradient	%	11	11



Roots Multiclean Ltd.

R.K.G. Industrial Estate, Ganapathy, Coimbatore - 641 006. India.

Tel : +91 422 4330 330. Email : rmclsales@rootsemail.com

Website : rootsmulticlean.com

Toll Free: 1800-419-9779

Follow us on



www.rootsmulticlean.com